

FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

161	151	152	153	154	156
	LINK LAYER ADDRESS	IP ADDRESS	PREFIX	HOME AGENT FLAG	MR APPLICABILITY	
162	LLA_1	IP_1	Prefix_1	OFF	NO
	LLA_2	IP_2	Prefix_2	ON	YES

FIG. 9

161	151	152	153	154	156	155
	LINK LAYER ADDRESS	IP ADDRESS	PREFIX	HOME AGENT FLAG	MR APPLICABILITY	HOME AGENT PREFERENCE	
162	LLA_1	IP_1	Prefix_1	OFF	NO	—
163	LLA_2	IP_2	Prefix_2	ON	YES	5
	LLA_3	IP_3	Prefix_3	ON	NO	2




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16





FIG. 17



10/553542

43

IC20 Rec'd PCT/PTO 17 OCT 2009

LIST OF REFERENCE NUMERALS IN DRAWINGS

- 1: LINK
- 2: NETWORK
- 10: MOBILE TERMINAL
- 5 11, 19: L1/2 PROCESSING UNIT
- 12: L3 PROCESSING UNIT
- 13: HIGHER LAYER PROCESSING UNIT
- 14: MOBILE IP PROCESSING UNIT
- 15: INFORMATION MEMORY UNIT
- 10 16: INFORMATION SETTING UNIT
- 17: USER JUDGMENT ACQUIRING UNIT
- 18: USER INTERFACE UNIT
- 50: HOME AGENT
- 60: ROUTER
- 15 501: DISPLAY UNIT
- 502: SETTING BUTTON
- 503: SETTING BUTTON
- 504: SETTING SWITCH
- 505: DIALOG
- 20 506, 507: BUTTON